


I hereby certify that this correspondence is being deposited with the U.S. Postal Service as Express Mail, Airbill No. ER509328199US, in an envelope addressed to: MS Reply Brief - Patents, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date shown below.

Dated: May 24, 2004

Signature: *Staci Harris*

Staci Harris

Docket No.: HO-P00965US0
(PATENT)



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:
James M. Musser, et al.

Application No.: 08/160,965

Filed: December 2, 1993

Art Unit: 1645

For: VACCINES CONTAINING CYSTEINE
PROTEASE AND METHODS TO PROTECT
AGAINST GROUP A STREPTOCOCCI

Examiner: J. Hines

REPLY BRIEF

MS Reply Brief - Patents
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

This brief is to the Examiner's Answer mailed March 25, 2004. Applicants believe no fees are due with this response. However, if Applicants are in error, the Commissioner is hereby authorized to charge any deficiency in the fees filed, asserted to be filed or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Deposit Account No. 06-2375, under Order No. 09507112.

Appellants herewith submit three copies of the Reply Brief.

ISSUE: Are claims 1, 4-35, 46 and 47 described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventors, at the time the application was filed, had possession of the claimed invention?

The issue remains the same, the only new item is the following in which the Appellants direct the Examiner to the attached sequences that were obtained from GenBank, which are associated with accession numbers identified in the inventor's own article "A conserved *Streptococcus pyogenes* extracellular cysteine protease cleaves human fibronectin and degrades vitronectin" by Kapur et al., *Microbial Pathogenesis* **Nov. 1993**; 15: 327-346 ("Kapur reference").

In the Examiner's Answer, the Examiner states that the Appellants failed to point to one piece of art that contained a sequence that is allegedly "known and old" in the art. Appellants have maintained that the instant specification in addition to the Kapur reference provided evidence that the inventors had possession of the invention at the time of filing. The Kapur reference (which was published prior to the filing date of the instant application) reported the methodical and prolific sequencing of 39 SPEB alleles in 67 *S. pyogenes* strains. The Examiner appears to have misunderstood the significance of the Kapur reference since the Examiner believes that the Appellants are arguing that in every ten amino acids one or two amino acids vary. This is not correct. The significance of the Kapur reference is to provide evidence that the *speB* gene is well conserved (See Abstract), as well as, to provide evidence of the GenBank accession numbers (listed in the **figure legend** of Figure 3) assigned to the polynucleotide sequences coding for the complete amino acid sequences of the allelic variants of *speB* (EMBL/GenBank/DDBL accession numbers L26125-L26162).

As the Appellants have stressed, the claims are directed to a SPEB protein having at least one substitution at amino acid residue positions Lys145, Cys192, His340, Asn356 and/or Trp357 (Appellants refer the Examiner to the accompanying amendment filed concurrently with this Reply Brief). All of the claimed amino acid residue positions are highly conserved among the *speB* alleles, as evident from the Kapur reference. To further illustrate this point, Appellants have provided copies of the amino acid sequences available from GenBank. These sequences were available as of the filing date of the application,

December 2, 1993 (date is highlighted on all attached sequences). Appellants assert that the attached amino acid sequences correspond to the alleles identified as GenBank accession numbers L26125-L26162, which is indicated in the **figure legend** of Figure 3. One of skill in the art is aware that the GenBank database provides a link between the polynucleotide sequences and the amino acid sequences, thus, one of skill in the art would be able to obtain the amino acid sequence by entering the accession numbers for the polynucleotide acid sequences.

To further aide the Examiner, Appellants have highlighted in pink the specific amino acid positions that are claimed in the present invention, i.e., Lys145, Cys192, His340, Asn356 and/or Trp357 (One letter codes for the amino acids which are well known are as follows: lysine is L, cysteine is C, histamine is H, asparagine is N and tryptophan is W). From this evidence, the Examiner will notice that all sequences associated with accession numbers L26125-L26162 contain the same amino acids at the claimed amino acid positions. Since these amino acids are conserved in all alleles, it is not relevant to have a “wild-type” sequence as requested by the Examiner because all the sequences could be the initial starting sequence in which Lys145, Cys192, His340, Asn356 and/or Trp357 are substituted. Thus, one of skill in the art could utilize the GenBank database to obtain an SPEB sequence to produce the claimed invention.

Even if a person of skill in the art was not aware of the Kapur reference to obtain the GenBank accession numbers, one of skill in the art could search the GenBank database using the identified MGAS (Musser Group A Streptococcus) numbers in Table 1, pages 9-18, of the specification. These numbers are also highlighted in the attached copies obtained from the GenBank database. The attached sequence copies provide evidence that the MGAS numbers are linked to the GenBank accession numbers L26125-L26162, which are linked to the SPEB amino acid sequences. Thus, one of skill in the art would be able to locate the SPEB sequences to produce the claimed invention.

Appellants remind the Examiner that the GenBank database is utilized consistently by those of skill in this art, and it is well-settled case law that what is conventional or well known to a skilled artisan need not be disclosed in detail. See *Hybritech Inc. v. Monoclonal Antibodies, Inc.*, 802 F.2d at 1384, 231 USPQ at 94. Therefore, the complete polynucleotide and amino acids structure of the SPEB protein used as a reference sequence to generate the

invention of the instant claims was available to skilled artisans at the time of the instant application and *is not required, given that the sequence was in the public domain prior to the time of filing.*

Thus, in summary, Appellant asserts that the specification did provide clear possession of the invention. Appellant reminds the Board that the written description requirement is a question of fact which must be resolved on a case-by-case basis (see, *e.g. Vas-Cath, Inc. v. Mahurkar*, 935 F.2d at 1563, 19 USPQ 2d at 1116 (Fed. Cir. 1991)), and Appellant asserts that the instant specification certainly met the standards for written description under 35 U.S.C. §112, paragraph 1.

Appellant respectfully requests reversal of the Examiner's rejection and subsequent allowance of all pending claims.

Dated: May 24, 2004

Respectfully submitted,

By 

Melissa W. Acosta

Registration No.: 45,872

Thomas. D. Paul

Registration No.: 32,714

FULBRIGHT & JAWORSKI L.L.P.

1301 McKinney, Suite 5100

Houston, Texas 77010-3095

(713) 651-5151

(713) 651-5246 (Fax)

Attorneys for Applicant



Search for

☐ 1: AAA26979. pyrogenic exotoxi...[gi:431614] BLink, Domains, Links

LOCUS AAA26979 398 aa linear BCT 02-DEC-1993

DEFINITION pyrogenic exotoxin B.

ACCESSION AAA26979

VERSION AAA26979.1 GI:431614

DBSOURCE locus STRSPEBA accession [L26125.1](#)

KEYWORDS

SOURCE Streptococcus pyogenes

ORGANISM Streptococcus pyogenes
Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae; Streptococcus.

REFERENCE 1 (residues 1 to 398)

AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R., Hamill,R.J., Patti,J.M. and Musser,J.M.

TITLE A conserved Streptococcus pyogenes extracellular cysteine protease cleaves human fibronectin and degrades vitronectin

JOURNAL Microb. Pathog. (1993) In press

COMMENT Method: conceptual translation.

FEATURES

source 1..398
/organism="Streptococcus pyogenes"
/isolate="MGAS 282"
/isolate="MGAS 156"
/isolate="MGAS 300"
/db_xref="taxon:1314"

Protein 1..398
/product="pyrogenic exotoxin B"
/function="cysteine protease precursor"

CDS 1..398
/gene="speB gene"
/coded_by="L26125.1:161..1357"
/note="allele 1"
/transl_table=11

ORIGIN



```

1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkspei lgystsgsfd angkeniasf
121 mesyveqike nkkldttyag taeigqpvk slldskgihy nqgnpynllt pviekvkpge
181 qsfvgqhaat gevatataqi mkyhnypnkg lkdytytlss nnpyfhnkpkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdmygpss gsagssrvqr alkenfgynq
301 svhqinrsdf skqdweaqid kelsqnqpvpy yqgvgkvggg afvidgadgr nfyhvgg
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

May 12 2004 07:05:19

[Entrez](#) [PubMed](#) [Nucleotide](#) [Protein](#) [Genome](#) [Structure](#) [PMC](#) [Taxonomy](#) [Boo](#)

Search for

☐ 1: [AAA26992](#). pyrogenic exotoxi...[gi:431640] BLink, Domains, Links

LOCUS AAA26992 398 aa linear BCT 02-DEC-1993

DEFINITION pyrogenic exotoxin B.

ACCESSION AAA26992

VERSION AAA26992.1 GI:431640

DBSOURCE locus STRSPEBB accession [L26126.1](#)

KEYWORDS .

SOURCE Streptococcus pyogenes

ORGANISM [Streptococcus pyogenes](#)

Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae; Streptococcus.

REFERENCE 1 (residues 1 to 398)

AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R., Hamill,R.J., Patti,J.M. and Musser,J.M.

TITLE A conserved Streptococcus pyogenes extracellular cysteine protease cleaves human fibronectin and degrades vitronectin

JOURNAL Microb. Pathog. (1993) In press

COMMENT Method: conceptual translation.

FEATURES

Location/Qualifiers

source 1..398

/organism="Streptococcus pyogenes"

/isolate="MGAS 719"

/db_xref="taxon:1314"

Protein 1..398

/product="pyrogenic exotoxin B"

/function="cysteine protease precursor"

CDS 1..398

/gene="speB gene"

/coded_by="L26126.1:161..1357"

/note="allele 10"

/transl_table=11

ORIGIN

```

1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkrspei lgystsgsfd angkeniasf
121 mesyveqike nkkldttyag taeigqpvvk slldskgihy nqgnpynllt pviekvkpge
181 qsfvgqhaat ggvatataqi mkyhnypnkg lkdytytlss npyfnhpkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdmgygpss gsagssrvqr alkenfgynq
301 svhqinrsdf skqdweaqid kelsqnqpv yqgvkvvgg afvidgadgr nfyhvnggw
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

May 12 2004 07:05:19



Search for

☐ 1: AAA26993. pyrogenic exotoxi...[gi:431642] BLink, Domains, Links

LOCUS AAA26993 398 aa linear BCT 02-DEC-1993

DEFINITION pyrogenic exotoxin B.

ACCESSION AAA26993

VERSION AAA26993.1 GI:431642

DBSOURCE locus STRSPEBC accession [L26127.1](#)

KEYWORDS .

SOURCE Streptococcus pyogenes

ORGANISM Streptococcus pyogenes
Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae; Streptococcus.

REFERENCE 1 (residues 1 to 398)

AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R., Hamill,R.J., Patti,J.M. and Musser,J.M.

TITLE A conserved Streptococcus pyogenes extracellular cysteine protease cleaves human fibronectin and degrades vitronectin

JOURNAL Microb. Pathog. (1993) In press

COMMENT Method: conceptual translation.

FEATURES

Location/Qualifiers

source 1..398
/organism="Streptococcus pyogenes"
/isolate="MGAS 289"
/db_xref="taxon:1314"

Protein 1..398
/product="pyrogenic exotoxin B"
/function="cysteine protease precursor"

CDS 1..398
/gene="speB gene"
/coded_by="L26127.1:161..1357"
/note="allele 12"
/transl_table=11

ORIGIN

```

1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkrspei lgystsgsfd angkeniasf
121 mesyveqike nkkldttyag taeigppvvk slldskgihy nqgnpynllt pviekvkpge
181 qsfvgghaat ggvatataqi mkyhnypnkg lkdytytlss nnpynfhpkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdmgygpss gsagssrvqr alkenfgynq
301 svhqinrsdf skqdwesqid kelsqnqpv yqgvgkvggg afvidgadgr nfyhvgggg
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

May 12 2004 07:05:19



Search for

☐ 1: AAA26994. pyrogenic exotoxi...[gi:431644] BLink, Domains, Links

LOCUS AAA26994 398 aa linear BCT 02-DEC-1993

DEFINITION pyrogenic exotoxin B.

ACCESSION AAA26994

VERSION AAA26994.1 GI:431644

DBSOURCE locus STRSPEBD accession [L26128.1](#)

KEYWORDS .

SOURCE Streptococcus pyogenes

ORGANISM Streptococcus pyogenes

Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae; Streptococcus.

REFERENCE 1 (residues 1 to 398)

AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R., Hamill,R.J., Patti,J.M. and Musser,J.M.

TITLE A conserved Streptococcus pyogenes extracellular cysteine protease cleaves human fibronectin and degrades vitronectin

JOURNAL Microb. Pathog. (1993) In press

COMMENT Method: conceptual translation.

FEATURES Location/Qualifiers

source 1..398
 /organism="Streptococcus pyogenes"
 /isolate="MGAS 684"
 /db_xref="taxon:1314"
 Protein 1..398
 /product="pyrogenic exotoxin B"
 /function="cysteine protease precursor"
 CDS 1..398
 /gene="speB gene"
 /coded_by="L26128.1:161..1357"
 /note="allele 12"
 /transl_table=11

ORIGIN

```

1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkrspei lgystsgsfd angkeniasf
121 mesyveqike nkkldttyag taeigqpvvk sllnsgkihy nqgnpynllt pviekvkpg
181 qsfvgghaat g@vatataqi mkyhnypnkg lkdytytlss nnpyfnhpkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdm dygpss gsagssrvqr alkenfgynq
301 svhqinrsdf skqdweaqid kelsqnqpv yqgvkvvgg afvidgadgr nfyhv@w@w
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

May 12 2004 07:05:19



Entrez PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

Boo

Search for

Limits

Preview/Index

History

Clipboard

Details

 Show:
☐ 1: AAA26995. pyrogenic exotoxi...[gi:431646]

BLink, Domains, Links

LOCUS AAA26995 398 aa linear BCT 02-DEC-1993

DEFINITION pyrogenic exotoxin B.

ACCESSION AAA26995

VERSION AAA26995.1 GI:431646

DBSOURCE locus STRSPEBE accession L26129.1

KEYWORDS

SOURCE Streptococcus pyogenes

ORGANISM Streptococcus pyogenes

Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae; Streptococcus.

REFERENCE 1 (residues 1 to 398)

AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R., Hamill,R.J., Patti,J.M. and Musser,J.M.

TITLE A conserved Streptococcus pyogenes extracellular cysteine protease cleaves human fibronectin and degrades vitronectin

JOURNAL Microb. Pathog. (1993) In press

COMMENT Method: conceptual translation.

FEATURES

Location/Qualifiers

source

1..398

/organism="Streptococcus pyogenes"

/isolate="MGAS 366"

/isolate="MGAS 1294"

/db_xref="taxon:1314"

Protein

1..398

/product="pyrogenic exotoxin B"

/function="cysteine protease precursor"

CDS

1..398

/gene="speB gene"

/coded_by="L26129.1:161..1357"

/note="allele 13"

/transl_table=11

ORIGIN

```



1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkrspei lgystsgsfd angkeniasf
121 mesyveqike nkkldttyag taei qpvvk slldskgi hy nqgnpynllt pviekv kpge
181 qsfvgqhaat g@vatataqi mkyhnypnkg vkdytytlss nnpyfnhpkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdm dygpss gsagssrvqr alkenfgynq
301 svhqinrsdf skqdweaqid kelsqnqpv yqgv gkvgg afvidgadgr nfyhv wgw
361 gvsdgffrld alnpsalgtg ggaggfngyq savigikp

```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

May 12 2004 07:05:19

[Entrez](#) [PubMed](#) [Nucleotide](#) [Protein](#) [Genome](#) [Structure](#) [PMC](#) [Taxonomy](#) [Boo](#)

Search for

Limits

☐ 1: AAA26996. pyrogenic exotoxi...[gi:431648] BLink, Domains, Links

LOCUS AAA26996 398 aa linear BCT 02-DEC-1993

DEFINITION pyrogenic exotoxin B.

ACCESSION AAA26996

VERSION AAA26996.1 GI:431648

DBSOURCE locus STRSPEBF accession [L26130.1](#)

KEYWORDS .

SOURCE Streptococcus pyogenes

ORGANISM [Streptococcus pyogenes](#)

Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae; Streptococcus.

REFERENCE 1 (residues 1 to 398)

AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R., Hamill,R.J., Patti,J.M. and Musser,J.M.

TITLE A conserved Streptococcus pyogenes extracellular cysteine protease cleaves human fibronectin and degrades vitronectin

JOURNAL Microb. Pathog. (1993) In press

COMMENT Method: conceptual translation.

FEATURES

Location/Qualifiers

source 1..398

/organism="Streptococcus pyogenes"

/isolate="MGAS 1289"

/db_xref="taxon:1314"

Protein 1..398

/product="pyrogenic exotoxin B"

/function="cysteine protease precursor"

CDS 1..398

/gene="speB gene"

/coded_by="L26130.1:161..1357"

/note="allele 14"

/transl_table=11

ORIGIN

```

1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkspei lgystsgsfd angkeniasf
121 mesyveqike nkkldttyag taeigppvk slldskgihy nqgnpynllt pviekvkpge
181 qsfvgqhaat g@vatataqi mkyhnypnkg lkdytytlss nnpyfnhpkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdmygpss gsagssrvqr alkenfgynq
301 svhqinrsdf skqdweaqid kelsqnqpy yqgvgkvggg afvidgadgr nfyhvggwg
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

May 12 2004 07:05:19



Search for

Limits

☐ 1: AAA26997. pyrogenic exotoxi...[gi:431650] BLink, Domains, Links

LOCUS AAA26997 398 aa linear BCT 02-DEC-1993

DEFINITION pyrogenic exotoxin B.

ACCESSION AAA26997

VERSION AAA26997.1 GI:431650

DBSOURCE locus STRSPEBG accession [L26131.1](#)

KEYWORDS .

SOURCE Streptococcus pyogenes

ORGANISM Streptococcus pyogenes

Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae; Streptococcus.

REFERENCE 1 (residues 1 to 398)

AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R., Hamill,R.J., Patti,J.M. and Musser,J.M.

TITLE A conserved Streptococcus pyogenes extracellular cysteine protease cleaves human fibronectin and degrades vitronectin

JOURNAL Microb. Pathog. (1993) In press

COMMENT Method: conceptual translation.

FEATURES Location/Qualifiers

source 1..398
 /organism="Streptococcus pyogenes"
 /isolate="MGAS 807"
 /db_xref="taxon:1314"
 Protein 1..398
 /product="pyrogenic exotoxin B"
 /function="cysteine protease precursor"
 CDS 1..398
 /gene="speB gene"
 /coded_by="L26131.1:161..1357"
 /note="allele 13"
 /transl_table=11

ORIGIN

```

1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdksrpei lgystsgsfd angkeniasf
121 mesyveqike nkkldttyag taeihqpvvk slldskgihy nqgnpynllt pviekvkpge
181 qsfvgqhaat g@vatataqi mkyhnypnkg lkdytytlss nnpyfhnphkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdmgygpss gsagssrvqr alkenfgynq
301 svhqinrgdf skqdweaqid kelsqnqpv yqgvgkvggh afvidgadgr nfyhvggggh
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

May 12 2004 07:05:19



Search for

Limits Preview/Index History Clipboard Details

Show:

☐ 1: AAA26998. pyrogenic exotoxi...[gi:431652] BLink, Domains, Links

LOCUS AAA26998 398 aa linear BCT 02-DEC-1993

DEFINITION pyrogenic exotoxin B.

ACCESSION AAA26998

VERSION AAA26998.1 GI:431652

DBSOURCE locus STRSPEBH accession [L26132.1](#)

KEYWORDS .

SOURCE Streptococcus pyogenes

ORGANISM Streptococcus pyogenes
Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae; Streptococcus.

REFERENCE 1 (residues 1 to 398)

AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R., Hamill,R.J., Patti,J.M. and Musser,J.M.

TITLE A conserved Streptococcus pyogenes extracellular cysteine protease cleaves human fibronectin and degrades vitronectin

JOURNAL Microb. Pathog. (1993) In press

COMMENT Method: conceptual translation.

FEATURES Location/Qualifiers

source 1..398
/organism="Streptococcus pyogenes"
/isolate="MGAS 427"
/db_xref="taxon:1314"

Protein 1..398
/product="pyrogenic exotoxin B"
/function="cysteine protease precursor"

CDS 1..398
/gene="speB gene"
/coded_by="L26132.1:161..1357"
/note="allele 16"
/transl_table=11

ORIGIN


```

1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkrspei lgystsgsfd angkeniasf
121 mesyveqike nkkldttyag taeigqpvvk slldskgihy nqgnpynllt pviekvkpge
181 qsfvgqhaat g@vatataqi mkyhnypnkg vkdytytlss nnpyfhnphkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdmlygpss gsagssrvqr alkenfgynq
301 svhqinrsdf skqdweaqid kelsqnqpv yqgvgkvggg afvidgadgr nfyhvggwg
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

May 12 2004 07:05:19



Entrez

PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

Boo

 Search for

Limits

Preview/Index

History

Clipboard

Details

 Show:
☐ 1: AAA26999. pyrogenic exotoxi...[gi:431654]

BLink, Domains, Links

LOCUS AAA26999 398 aa linear BCT 02-DEC-1993

DEFINITION pyrogenic exotoxin B.

ACCESSION AAA26999

VERSION AAA26999.1 GI:431654

DBSOURCE locus STRSPEBI accession L26133.1

KEYWORDS

SOURCE Streptococcus pyogenes

ORGANISM Streptococcus pyogenes

Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae; Streptococcus.

REFERENCE 1 (residues 1 to 398)

AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R., Hamill,R.J., Patti,J.M. and Musser,J.M.

TITLE A conserved Streptococcus pyogenes extracellular cysteine protease cleaves human fibronectin and degrades vitronectin

JOURNAL Microb. Pathog. (1993) In press

COMMENT Method: conceptual translation.

FEATURES

source

Location/Qualifiers

1..398

/organism="Streptococcus pyogenes"

/isolate="MGAS 302"

/db_xref="taxon:1314"

Protein

1..398

/product="pyrogenic exotoxin B"

/function="cysteine protease precursor"

CDS

1..398

/gene="speB gene"

/coded_by="L26133.1:161..1357"

/note="allele 17"

/transl_table=11

ORIGIN

```



1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkrspei lgystsgsfd angkeniasf
121 mesyveqike nkkldttyag taeiagpvvk slldskgi hy nqgnpynlt pviekvkpge
181 qsfvgghaat g@vatataqi mkyhnypnkg lkdytytlss nnpynhpk n lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdm dygpss gsagssrvqr alkenfgynq
301 svhqinrsdf skqdwesqid kelsqnqpy yqgv gkvgg@ afvidgadgr nfyhvn@wgw
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

Disclaimer | Write to the Help Desk
NCBI | NLM | NIH

May 12 2004 07:05:19

[Entrez](#) [PubMed](#) [Nucleotide](#) [Protein](#) [Genome](#) [Structure](#) [PMC](#) [Taxonomy](#) [Boo](#)

Search for

Limits Preview/Index History Clipboard Details

Show:

☐ 1: [AAA27000](#). pyrogenic exotoxi...[gi:431656] BLink, Domains, Links

LOCUS AAA27000 398 aa linear BCT 02-DEC-1993

DEFINITION pyrogenic exotoxin B.

ACCESSION AAA27000

VERSION AAA27000.1 GI:431656

DBSOURCE locus STRSPEBJ accession [L26134.1](#)

KEYWORDS

SOURCE Streptococcus pyogenes

ORGANISM Streptococcus pyogenes

Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae; Streptococcus.

REFERENCE 1 (residues 1 to 398)

AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R., Hamill,R.J., Patti,J.M. and Musser,J.M.

TITLE A conserved Streptococcus pyogenes extracellular cysteine protease cleaves human fibronectin and degrades vitronectin

JOURNAL Microb. Pathog. (1993) In press

COMMENT Method: conceptual translation.

FEATURES

Location/Qualifiers
 source 1..398
 /organism="Streptococcus pyogenes"
 /isolate="MGAS 587"
 /db_xref="taxon:1314"
 Protein 1..398
 /product="pyrogenic exotoxin B"
 /function="cysteine protease precursor"
 CDS 1..398
 /gene="speB gene"
 /coded_by="L26134.1:161..1357"
 /note="allele 18"
 /transl_table=11

ORIGIN

```



1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdksrpei lgystsgsfd angkeniasf
121 mesyveqike nkkldttyag taeigppvk slldskgi hy nqgnpynllt pviekvgkpge
181 qsfvgghaat ggvatataqi mkyhnypnkg lkdytytlss nnpyfnhpkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdmygpss gsagssrvqr alrenfgynq
301 svhqinrsdf skqdwesqid kelsqnqpv yqgvgkvggg afvidgadgr nfyhvggwg
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

May 12 2004 07:05:19

[Entrez](#) [PubMed](#) [Nucleotide](#) [Protein](#) [Genome](#) [Structure](#) [PMC](#) [Taxonomy](#) [Boo](#)

Search for

Limits Preview/Index History Clipboard Details

Show:

☐ 1: [AAA27001](#). pyrogenic exotoxi...[gi:431658] BLink, Domains, Links

LOCUS AAA27001 398 aa linear BCT 02-DEC-1993

DEFINITION pyrogenic exotoxin B.

ACCESSION AAA27001

VERSION AAA27001.1 GI:431658

DBSOURCE locus STRSPEBK accession [L26135.1](#)

KEYWORDS .

SOURCE Streptococcus pyogenes

ORGANISM Streptococcus pyogenes

Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae; Streptococcus.

REFERENCE 1 (residues 1 to 398)

AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R., Hamill,R.J., Patti,J.M. and Musser,J.M.

TITLE A conserved Streptococcus pyogenes extracellular cysteine protease cleaves human fibronectin and degrades vitronectin

JOURNAL Microb. Pathog. (1993) In press

COMMENT Method: conceptual translation.

FEATURES Location/Qualifiers

source 1..398
 /organism="Streptococcus pyogenes"
 /isolate="MGAS 796"
 /db_xref="taxon:1314"
Protein 1..398
 /product="pyrogenic exotoxin B"
 /function="cysteine protease precursor"
CDS 1..398
 /gene="speB gene"
 /coded_by="L26135.1:161..1357"
 /note="allele 19"
 /transl_table=11

ORIGIN

```

1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkrspei lgystsgsfd vngkeniasf
121 mesyveqike nkkldttyag taeilppvvk slldskgiy nqgnpynllt pviekvkpge
181 qsfvgqhaat ggvatataqi mkyhnypnkg lkdytytlss nnpynhpkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdmgygss gsagssrvqr alkenfgynq
301 svhqinrsdf skqdweaqid kelsqnqpv yqgvkvvggh afvidgadgr nfyhvggwg
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

May 12 2004 07:05:19



Search for

☐ 1: AAA27002. pyrogenic exotoxi...[gi:431660] BLink, Domains, Links

LOCUS AAA27002 398 aa linear BCT 02-DEC-1993

DEFINITION pyrogenic exotoxin B.

ACCESSION AAA27002

VERSION AAA27002.1 GI:431660

DBSOURCE locus STRSPEBL accession L26136.1

KEYWORDS .

SOURCE Streptococcus pyogenes

ORGANISM Streptococcus pyogenes
Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae; Streptococcus.

REFERENCE 1 (residues 1 to 398)

AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R., Hamill,R.J., Patti,J.M. and Musser,J.M.

TITLE A conserved Streptococcus pyogenes extracellular cysteine protease cleaves human fibronectin and degrades vitronectin

JOURNAL Microb. Pathog. (1993) In press

COMMENT Method: conceptual translation.

FEATURES Location/Qualifiers

source 1..398
/organism="Streptococcus pyogenes"
/isolate="MGAS 800"
/db_xref="taxon:1314"

Protein 1..398
/product="pyrogenic exotoxin B"

CDS 1..398
/gene="speB gene"
/coded_by="L26136.1:161..1357"
/transl_table=11

ORIGIN



```

1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkrspei lgystsgsfd vngkeniasf
121 mesyveqike nkkldttyag taeigqpvvk slldskgihy nqgnpynllt pviekvkpge
181 qsfvgqhaat ggvatataqi mkyhnpnkg lkdytytlss nnpyfnpkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdm dygpss gsagssrvqr alkenfgynq
301 svhqinrsdf skqdweaqid kelsqnqpv yqgvgkvggg afvidgadgr nfyhvnggwg
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

May 12 2004 07:05:19

[Entrez](#) [PubMed](#) [Nucleotide](#) [Protein](#) [Genome](#) [Structure](#) [PMC](#) [Taxonomy](#) [Boo](#)

Search for

☐ 1: AAA27003. pyrogenic exotoxi...[gi:431662] BLink, Domains, Links

LOCUS AAA27003 398 aa linear BCT 02-DEC-1993

DEFINITION pyrogenic exotoxin B.

ACCESSION AAA27003

VERSION AAA27003.1 GI:431662

DBSOURCE locus STRSPEBM accession [L26137.1](#)

KEYWORDS .

SOURCE Streptococcus pyogenes

ORGANISM Streptococcus pyogenes

Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae; Streptococcus.

REFERENCE 1 (residues 1 to 398)

AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R., Hamill,R.J., Patti,J.M. and Musser,J.M.

TITLE A conserved Streptococcus pyogenes extracellular cysteine protease cleaves human fibronectin and degrades vitronectin

JOURNAL Microb. Pathog. (1993) In press

COMMENT Method: conceptual translation.

FEATURES Location/Qualifiers

source 1..398
 /organism="Streptococcus pyogenes"
 /isolate="MGAS 1233"
 /db_xref="taxon:1314"
 Protein 1..398
 /product="pyrogenic exotoxin B"
 /function="cysteine protease precursor"
 CDS 1..398
 /gene="speB gene"
 /coded_by="L26137.1:161..1357"
 /note="allele 21"
 /transl_table=11

ORIGIN

```


1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkrspei lgystsgsfd angkeniasf
121 mesyveqike nkkldttyag taeiagpvvk slldskgi hy nqgnpynllt pviekvkpge
181 qsfvgqhaat g@vatataqi mkyhnypnkg lkdytytlss nnpynfhpkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdmdygpss gsagssrvqr alkenfgynq
301 svhqinrsdf skqdwesqid kelsqnqpv yqgvqkvgg@ afvidgadgr nfyhv@w@wg
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

May 12 2004 07:05:19



Entrez

PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

Boo

Search for

Limits

Preview/Index

History

Clipboard

Details

 Show: ☐ 1: AAA27004. pyrogenic exotoxi...[gi:431664]

BLink, Domains, Links

LOCUS AAA27004 398 aa linear BCT 02-DEC-1993

DEFINITION pyrogenic exotoxin B.

ACCESSION AAA27004

VERSION AAA27004.1 GI:431664

DBSOURCE locus STRSPEBN accession L26138.1

KEYWORDS

SOURCE Streptococcus pyogenes

ORGANISM Streptococcus pyogenes

Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae; Streptococcus.

REFERENCE 1 (residues 1 to 398)

AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R., Hamill,R.J., Patti,J.M. and Musser,J.M.

TITLE A conserved Streptococcus pyogenes extracellular cysteine protease cleaves human fibronectin and degrades vitronectin

JOURNAL Microb. Pathog. (1993) In press

COMMENT Method: conceptual translation.

FEATURES

Location/Qualifiers

source

1..398

/organism="Streptococcus pyogenes"

/isolate="MGAS 1226"

/db_xref="taxon:1314"

Protein

1..398

/product="pyrogenic exotoxin B"

/function="cysteine protease precursor"

CDS

1..398

/gene="speB gene"

/coded_by="L26138.1:161..1357"

/note="allele 22"

/transl_table=11


ORIGIN

```
1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsdkrspei lgystsgsfd angkeniasf
121 mesyveqike nkkldttyag taeiagpvvk slldskgihy nqgnpynllt pviekvkpge
181 qsfvgghaat g@vatataqi mkyhnpnkg lkdytytlss nnpyfnhpkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdm dygpss gsagssrvqr alkenfgynq
301 svhqinrgdf skqdweaqid kelsqnqpy yqgvkvvgg afvidgadgr nfyhvnw@wgw
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp
```

//

[Disclaimer](#) | [Write to the Help Desk](#)[NCBI](#) | [NLM](#) | [NIH](#)

May 12 2004 07:05:19



Entrez

PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

Boo

 Search for

Limits

Preview/Index

History

Clipboard

Details

☐ 1: AAA27005. pyrogenic exotoxi...[gi:431666]

BLink, Domains, Links

LOCUS AAA27005 398 aa linear BCT 02-DEC-1993

DEFINITION pyrogenic exotoxin B.

ACCESSION AAA27005

VERSION AAA27005.1 GI:431666

DBSOURCE locus STRSPEBO accession L26139.1

KEYWORDS .

SOURCE Streptococcus pyogenes

ORGANISM Streptococcus pyogenes

Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae; Streptococcus.

REFERENCE 1 (residues 1 to 398)

AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R., Hamill,R.J., Patti,J.M. and Musser,J.M.

TITLE A conserved Streptococcus pyogenes extracellular cysteine protease cleaves human fibronectin and degrades vitronectin

JOURNAL Microb. Pathog. (1993) In press

COMMENT Method: conceptual translation.

FEATURES

Location/Qualifiers

source

1..398

/organism="Streptococcus pyogenes"

/isolate="MGAS 650"

/db_xref="taxon:1314"

Protein

1..398

/product="pyrogenic exotoxin B"

/function="cysteine protease precursor"

CDS

1..398

/gene="speB gene"

/coded_by="L26139.1:161..1357"

/note="allele 23"

/transl_table=11

ORIGIN

```

1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkrspei lgystsgsfd angkeniasf
121 mesyveqike nkkldtiyag taeigppvvk slldskgihy nqgnpynllt pviekvkpge
181 qsfvgghaat ggvatataqi mkyhnypnkg lkdytytlss nnpynhpkp lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdmdygpss gsagssrvqr alkenfgynq
301 svhqinrsdf skqdweaqid kelsqnqpv yqgvgkvvgg afvidgadgr nfyhgvgwg
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

Disclaimer | Write to the Help Desk
NCBI | NLM | NIH

May 12 2004 07:05:19



Search for

☐ 1: AAA27006. pyrogenic exotoxi...[gi:431668] BLink, Domains, Links

LOCUS AAA27006 398 aa linear BCT 02-DEC-1993
 DEFINITION pyrogenic exotoxin B.
 ACCESSION AAA27006
 VERSION AAA27006.1 GI:431668
 DBSOURCE locus STRSPEBP accession [L26140.1](#)
 KEYWORDS .
 SOURCE Streptococcus pyogenes
 ORGANISM Streptococcus pyogenes
 Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae;
 Streptococcus.
 REFERENCE 1 (residues 1 to 398)
 AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R.,
 Hamill,R.J., Patti,J.M. and Musser,J.M.
 TITLE A conserved Streptococcus pyogenes extracellular cysteine protease
 cleaves human fibronectin and degrades vitronectin
 JOURNAL Microb. Pathog. (1993) In press
 COMMENT Method: conceptual translation.
 FEATURES Location/Qualifiers
 source 1..398
 /organism="Streptococcus pyogenes"
 /isolate="MGAS 659"
 /isolate="MGAS 2017"
 /isolate="MGAS 2018"
 /db_xref="taxon:1314"
Protein 1..398
 /product="pyrogenic exotoxin B"
 /function="cysteine protease precursor"
CDS 1..398
 /gene="speB gene"
 /coded_by="L26140.1:161..1357"
 /note="allele 24"
 /transl_table=11

ORIGIN


```

1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkrspei lgystsgsfd vngkeniasf
121 mesyveqike nkkldttyag taeigqpvvk slldskgiy nqgnpynllt pviekvkpge
181 qsfvgqhaat gevatataqi mkyhnypnkg lkdytytlss nnpyfnhpkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdmgygpss gsagssrvqr alkenfgynq
301 svhqinrgdf skqdweaqid kelsqnqpv yqgvkvvgga afvidgadgr nfyhvnggwg
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

May 12 2004 07:05:19



Entrez

PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

Boo

Search for

Limits

Preview/Index

History

Clipboard

Details

Show:

☐ 1: [AAA27007](#). pyrogenic exotoxi...[gi:431670]

[BLink](#), [Domains](#), [Links](#)

LOCUS AAA27007 398 aa linear BCT 02-DEC-1993
 DEFINITION pyrogenic exotoxin B.
 ACCESSION AAA27007
 VERSION AAA27007.1 GI:431670
 DBSOURCE locus STRSPEBQ accession [L26141.1](#)
 KEYWORDS .
 SOURCE Streptococcus pyogenes
 ORGANISM [Streptococcus pyogenes](#)
 Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae;
 Streptococcus.
 REFERENCE 1 (residues 1 to 398)
 AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R.,
 Hamill,R.J., Patti,J.M. and Musser,J.M.
 TITLE A conserved Streptococcus pyogenes extracellular cysteine protease
 cleaves human fibronectin and degrades vitronectin
 JOURNAL Microb. Pathog. (1993) In press
 COMMENT Method: conceptual translation.
 FEATURES Location/Qualifiers
 source 1..398
 /organism="Streptococcus pyogenes"
 /isolate="MGAS 168"
 /db_xref="taxon:1314"
[Protein](#) 1..398
 /product="pyrogenic exotoxin B"
 /function="cysteine protease precursor"
[CDS](#) 1..398
 /gene="speB gene"
 /coded_by="L26141.1:161..1357"
 /note="allele 25"
 /transl_table=11

ORIGIN

```

1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyi ynistggfvi vsdkrspei lgystsgsfv vngkeniasf
121 mesyveqike nkkldttyag taeigqpvvk slldskgihy nqgnpynllt pviekvkgpe
181 qsfvgghaat ggvatataqi mkyhnypnkg lkdytytlss nnpynfhpkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdmgygss gsagssrvqr alkenfgynq
301 svhqinrsdf skqdwesqid kelsqnqpv yqgvkvvggh afvidgadgr nfyhvggwg
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

[Disclaimer](#) | [Write to the Help Desk](#)
 NCBI | NLM | NIH

May 12 2004 07:05:19



Search for

☐ 1: AAA27008. pyrogenic exotoxi...[gi:431672]

[BLink](#), [Domains](#), [Links](#)

LOCUS AAA27008 398 aa linear BCT 02-DEC-1993
 DEFINITION pyrogenic exotoxin B.
 ACCESSION AAA27008
 VERSION AAA27008.1 GI:431672
 DBSOURCE locus STRSPEBR accession [L26142.1](#)
 KEYWORDS .
 SOURCE Streptococcus pyogenes
 ORGANISM Streptococcus pyogenes
 Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae;
 Streptococcus.
 REFERENCE 1 (residues 1 to 398)
 AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R.,
 Hamill,R.J., Patti,J.M. and Musser,J.M.
 TITLE A conserved Streptococcus pyogenes extracellular cysteine protease
 cleaves human fibronectin and degrades vitronectin
 JOURNAL Microb. Pathog. (1993) In press
 COMMENT Method: conceptual translation.
 FEATURES Location/Qualifiers
 source 1..398
 /organism="Streptococcus pyogenes"
 /isolate="MGAS 1991"
 /isolate="MGAS 1914A"
 /isolate="MGAS 1911"
 /isolate="MGAS 758"
 /db_xref="taxon:1314"
Protein 1..398
 /product="pyrogenic exotoxin B"
 /function="cysteine protease precursor"
CDS 1..398
 /gene="speB gene"
 /coded_by="L26142.1:161..1357"
 /note="allele 26"
 /transl_table=11

ORIGIN



```

1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkrspei lgystsgsfd angkeniasf
121 mesyveqike nkkldttyag taei1qpvvk slldskgihy nqgnpynllt pviekvkpge
181 qsfvgghaat g2vatataqi mkyhnypnkg vkdytytlss nnp3yfnhpkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdm4dygpss gsagssrvqr alkenfgynq
301 svhqinrsdf skqdweaqid kelsqnqpv5y yqgv6gkv7gg8 afvidgadgr nfyh9v10gw11g
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

May 12 2004 07:05:19

[Entrez](#) [PubMed](#) [Nucleotide](#) [Protein](#) [Genome](#) [Structure](#) [PMC](#) [Taxonomy](#) [Boo](#)

Search for

Limits Preview/Index History Clipboard Details

Show:

☐ 1: AAA27009. pyrogenic exotoxi...[gi:431674] BLink, Domains, Links

LOCUS AAA27009 398 aa linear BCT 02-DEC-1993

DEFINITION pyrogenic exotoxin B.

ACCESSION AAA27009

VERSION AAA27009.1 GI:431674

DBSOURCE locus STRSPEBS accession [L26143.1](#)

KEYWORDS .

SOURCE Streptococcus pyogenes

ORGANISM Streptococcus pyogenes

Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae; Streptococcus.

REFERENCE 1 (residues 1 to 398)

AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R., Hamill,R.J., Patti,J.M. and Musser,J.M.

TITLE A conserved Streptococcus pyogenes extracellular cysteine protease cleaves human fibronectin and degrades vitronectin

JOURNAL Microb. Pathog. (1993) In press

COMMENT Method: conceptual translation.

FEATURES

Location/Qualifiers

source 1..398

/organism="Streptococcus pyogenes"

/isolate="MGAS 1990"

/db_xref="taxon:1314"

Protein 1..398

/product="pyrogenic exotoxin B"

/function="cysteine protease precursor"

CDS 1..398

/gene="speB gene"

/coded_by="L26143.1:161..1357"

/note="allele 27"

/transl_table=11

ORIGIN

```


1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkrspei lgystsgsfd angkeniasf
121 mesyveqike nkkldttyag taeiqppvvk slldskgi hy nqgnpynllt pviekvkpge
181 qsfvgghaat ggvatataqi mkyhnypnkg lkdytytlss nnpyfnhpkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdmygpss gsagssrvqr alkenfgynq
301 svhqinrsdf skqdweaqid kelsqnqpv yqgvgkvggg afvidgadgr nfyhvngwg
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

May 12 2004 07:05:19



Entrez

PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

Boo

Search for

Limits

Preview/Index

History

Clipboard

Details

Show: ☐ 1: AAA27010. pyrogenic exotoxi...[gi:431676]

BLink, Domains, Links

LOCUS AAA27010 398 aa linear BCT 02-DEC-1993
 DEFINITION pyrogenic exotoxin B.
 ACCESSION AAA27010
 VERSION AAA27010.1 GI:431676
 DBSOURCE locus STRSPEBT accession L26144.1
 KEYWORDS .
 SOURCE Streptococcus pyogenes
 ORGANISM Streptococcus pyogenes
 Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae;
 Streptococcus.
 REFERENCE 1 (residues 1 to 398)
 AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R.,
 Hamill,R.J., Patti,J.M. and Musser,J.M.
 TITLE A conserved Streptococcus pyogenes extracellular cysteine protease
 cleaves human fibronectin and degrades vitronectin
 JOURNAL Microb. Pathog. (1993) In press
 COMMENT Method: conceptual translation.
 FEATURES Location/Qualifiers
 source 1..398
 /organism="Streptococcus pyogenes"
 /isolate="MGAS 162"
 /db_xref="taxon:1314"
Protein 1..398
 /product="pyrogenic exotoxin B"
 /function="cysteine protease precursor"
CDS 1..398
 /gene="speB gene"
 /coded_by="L26144.1:161..1357"
 /transl_table=11

ORIGIN

```

1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkrspei lgystsgsfd angkeniasf
121 mesyveqike nkkldttyag taeilqpvvk slldskgiyh nqgnpynllt pviekvvpge
181 qsfvgghaat ggvatataqi mkyhnypnkg lkdytytlss nnpynhpkpn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdm dygpss gsagssrvqr alkenfgynq
301 svhqinrsdf skqdweaqid kelsqnqpy yqgvkvvgga afvidgadgr nfyhvngwg
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

May 12 2004 07:05:19



Search for

☐ 1: AAA27011. pyrogenic exotoxi...[gi:431678] BLink, Domains, Links

LOCUS AAA27011 398 aa linear BCT 02-DEC-1993

DEFINITION pyrogenic exotoxin B.

ACCESSION AAA27011

VERSION AAA27011.1 GI:431678

DBSOURCE locus STRSPEBU accession L26145.1

KEYWORDS .

SOURCE Streptococcus pyogenes

ORGANISM Streptococcus pyogenes
Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae; Streptococcus.

REFERENCE 1 (residues 1 to 398)

AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R., Hamill,R.J., Patti,J.M. and Musser,J.M.

TITLE A conserved Streptococcus pyogenes extracellular cysteine protease cleaves human fibronectin and degrades vitronectin

JOURNAL Microb. Pathog. (1993) In press

COMMENT Method: conceptual translation.

FEATURES

source 1..398
/organism="Streptococcus pyogenes"
/isolate="MGAS 1841"
/db_xref="taxon:1314"

Protein 1..398
/product="pyrogenic exotoxin B"
/function="cysteine protease precursor"

CDS 1..398
/gene="speB gene"
/coded_by="L26145.1:161..1357"
/note="allele 28"
/transl_table=11

ORIGIN

```

1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdksrpei lgystsgsfd angkeniasf
121 mesyveqike nkkldttyag taeikqpvvk slldskgiy nqgnpynllt pvielvkpge
181 qsfvgqhaat ggvatataqi mkyhnpnkg lkdytytlss nnpyfhnphkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdmgygpss gsagssrvqr alkenfgynq
301 svhqinrsdf skqdweaqid kelsqnqpv yqgvkvvgg afvidgadgr nfyhvwgwg
361 gvdsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

May 12 2004 07:05:19



Search for

☐ 1: AAA27012. pyrogenic exotoxi...[gi:431680] BLink, Domains, Links

LOCUS AAA27012 398 aa linear BCT 02-DEC-1993

DEFINITION pyrogenic exotoxin B.

ACCESSION AAA27012

VERSION AAA27012.1 GI:431680

DBSOURCE locus STRSPEBV accession [L26146.1](#)

KEYWORDS .

SOURCE Streptococcus pyogenes

ORGANISM Streptococcus pyogenes

Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae; Streptococcus.

REFERENCE 1 (residues 1 to 398)

AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R., Hamill,R.J., Patti,J.M. and Musser,J.M.

TITLE A conserved Streptococcus pyogenes extracellular cysteine protease cleaves human fibronectin and degrades vitronectin

JOURNAL Microb. Pathog. (1993) In press

COMMENT Method: conceptual translation.

FEATURES Location/Qualifiers

source

1..398
/organism="Streptococcus pyogenes"
/isolate="MGAS 75"
/isolate="MGAS 157"
/isolate="MGAS 315"
/isolate="MGAS 1251"
/isolate="MGAS 1893"
/isolate="MGAS 1590"
/isolate="MGAS 1864"
/isolate="MGAS 327"
/isolate="MGAS 317"
/db_xref="taxon:1314"

Protein

1..398
/product="pyrogenic exotoxin B"
/function="cysteine protease precursor"

CDS

1..398
/gene="speB gene"
/coded_by="L26146.1:161..1357"
/note="allele 3"
/transl_table=11

ORIGIN

```

1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkrspei lgystsgsfd angkeniasf
121 mesyveqike nkkldttyag taetiagpvvk slldskgiyh nqgnpynllt pvielvkpge
181 qsfvgqhaat g@vatataqi mkyhnypnkg lkdytytlss nnpynfnhpkp lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdmgygpss gsagssrvqr alkenfgynq
301 svhqinrsdf skqdweaqid kelsqnqpvpy yqgvkvvgg afvidgadgr nfyhvwgwg
361 gvsgdggfrld alnpsalgtg ggaggfngyq savvgikp

```

//

May 12 2004 07:05:19



Search for

☐ 1: AAA27013. pyrogenic exotoxi...[gi:431682] BLink, Domains, Links

LOCUS AAA27013 398 aa linear BCT 02-DEC-1993

DEFINITION pyrogenic exotoxin B.

ACCESSION AAA27013

VERSION AAA27013.1 GI:431682

DBSOURCE locus STRSPEBW accession L26147.1

KEYWORDS .

SOURCE Streptococcus pyogenes

ORGANISM Streptococcus pyogenes
Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae; Streptococcus.

REFERENCE 1 (residues 1 to 398)

AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R., Hamill,R.J., Patti,J.M. and Musser,J.M.

TITLE A conserved Streptococcus pyogenes extracellular cysteine protease cleaves human fibronectin and degrades vitronectin

JOURNAL Microb. Pathog. (1993) In press

COMMENT Method: conceptual translation.

FEATURES Location/Qualifiers

source 1..398
/organism="Streptococcus pyogenes"
/isolate="MGAS 1838"
/db_xref="taxon:1314"

Protein 1..398
/product="pyrogenic exotoxin B"
/function="cysteine protease precursor"

CDS 1..398
/gene="speB gene"
/coded_by="L26147.1:161..1357"
/note="allele 30"
/transl_table=11

ORIGIN



```

1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkspei lgystsgsfd vngkeniasf
121 mesyveqike nkkldttyag taei1apvvk slldskgi hy nqgnpynllt pviekvkpge
181 qsfvgqhaat g2vatataqi mkyhnpnkg lkdytytlss nnpynfhpkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdm3dygpss gsagssrvqr alkenfgynq
301 svhqinrsdf skqdweaqid kelsqnqpv yqgv4gkv5gg6 afvidgadgr nfyh7vn8gw9g
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

May 12 2004 07:05:19

[Entrez](#) [PubMed](#) [Nucleotide](#) [Protein](#) [Genome](#) [Structure](#) [PMC](#) [Taxonomy](#) [Book](#)

Search for

Limits Preview/Index History Clipboard Details

Show:

☐ 1: AAA27014. pyrogenic exotoxi...[gi:431684] BLink, Domains, Links

LOCUS AAA27014 398 aa linear BCT 02-DEC-1993
 DEFINITION pyrogenic exotoxin B.
 ACCESSION AAA27014
 VERSION AAA27014.1 GI:431684
 DBSOURCE locus STRSPEBX accession [L26148.1](#)
 KEYWORDS .
 SOURCE Streptococcus pyogenes
 ORGANISM Streptococcus pyogenes
 Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae;
 Streptococcus.
 REFERENCE 1 (residues 1 to 398)
 AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R.,
 Hamill,R.J., Patti,J.M. and Musser,J.M.
 TITLE A conserved Streptococcus pyogenes extracellular cysteine protease
 cleaves human fibronectin and degrades vitronectin
 JOURNAL Microb. Pathog. (1993) In press
 COMMENT Method: conceptual translation.
 FEATURES Location/Qualifiers
 source 1..398
 /organism="Streptococcus pyogenes"
 /isolate="MGAS 1870"
 /db_xref="taxon:1314"
 Protein 1..398
 /product="pyrogenic exotoxin B"
 /function="cysteine protease precursor"
 CDS 1..398
 /gene="speB gene"
 /coded_by="L26148.1:161..1357"
 /note="allele 31"
 /transl_table=11

ORIGIN

```


1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkrspei lgystsgsfd angkeniasf
121 mesyveqike nkkltdttag taeiaqpvvk slldskgi hy nqgnpynllt pviekvkpge
181 qsfvgqhaat g@vatataqi mkyhnypnkg lkdytytlss nnpynhpkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdmdygpss gsagssrvqr alkenfgynq
301 svhqinrsdf skqdweaqid kelsqnqpv yqgvqkvvgg@ afvidgadgr nfyhvnw@wgw
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

May 12 2004 07:05:19



Entrez

PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

Book

 Search for

Limits

Preview/Index

History

Clipboard

Details

 Show:
☐ 1: AAA27015. pyrogenic exotoxi...[gi:431686]

BLink, Domains, Links

LOCUS AAA27015 398 aa linear BCT 02-DEC-1993
 DEFINITION pyrogenic exotoxin B.
 ACCESSION AAA27015
 VERSION AAA27015.1 GI:431686
 DBSOURCE locus STRSPEBY accession [L26149.1](#)
 KEYWORDS .
 SOURCE Streptococcus pyogenes
 ORGANISM Streptococcus pyogenes
 Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae;
 Streptococcus.
 REFERENCE 1 (residues 1 to 398)
 AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R.,
 Hamill,R.J., Patti,J.M. and Musser,J.M.
 TITLE A conserved Streptococcus pyogenes extracellular cysteine protease
 cleaves human fibronectin and degrades vitronectin
 JOURNAL Microb. Pathog. (1993) In press
 COMMENT Method: conceptual translation.
 FEATURES Location/Qualifiers
 source 1..398
 /organism="Streptococcus pyogenes"
 /isolate="MGAS 1898"
 /db_xref="taxon:1314"
Protein 1..398
 /product="pyrogenic exotoxin B"
 /function="cysteine protease precursor"
CDS 1..398
 /gene="speB gene"
 /coded_by="L26149.1:161..1357"
 /note="allele 32"
 /transl_table=11

ORIGIN

```


1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkrspei lgystsgsfd angkeniasf
121 mesyveqike nkkldttyag taeifqpvvk slldskgi hy nqgnpynllt pviekvkpge
181 qsfvgghaat g@vatataqi mkyhnypnkg lkdytytlss nnpynfhpkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdm dygpss gsagssrvqr alkenfgynq
301 svhqinrsdf skqdwesqid kelsqnqpy yqgvkvvgg afvidgadgr nfyhvwgwg
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

May 12 2004 07:05:19



Entrez

PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

Boo

Search for

☐ 1: AAA27016. pyrogenic exotoxi...[gi:431688]

[BLink](#), [Domains](#), [Links](#)

LOCUS AAA27016 398 aa linear BCT 02-DEC-1993

DEFINITION pyrogenic exotoxin B.

ACCESSION AAA27016

VERSION AAA27016.1 GI:431688

DBSOURCE locus STRSPEBZ accession [L26150.1](#)

KEYWORDS .

SOURCE Streptococcus pyogenes

ORGANISM Streptococcus pyogenes

Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae; Streptococcus.

REFERENCE 1 (residues 1 to 398)

AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R., Hamill,R.J., Patti,J.M. and Musser,J.M.

TITLE A conserved Streptococcus pyogenes extracellular cysteine protease cleaves human fibronectin and degrades vitronectin

JOURNAL Microb. Pathog. (1993) In press

COMMENT Method: conceptual translation.

FEATURES Location/Qualifiers

source 1..398
 /organism="Streptococcus pyogenes"
 /isolate="MGAS 1832"
 /db_xref="taxon:1314"
Protein 1..398
 /product="pyrogenic exotoxin B"
 /function="cysteine protease precursor"
CDS 1..398
 /gene="speB gene"
 /coded_by="L26150.1:161..1357"
 /note="allele 33"
 /transl_table=11

ORIGIN

```

1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdksrpei lgystsgsfd angkeniasf
121 mesyveqike nkkldttyag taei1qpvvk slldskgihy nqgnpynllt pvi2ekvkpge
181 qsfvgqhaat g3vatataqi mkyhny4pnkg lkdytytlss nnp5yfnhpkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdm6dygpss gsagssrvqr alkenfgynq
301 svhqinrgdf skqdweaqid kelsqnqpv7y yqgv8gkv9gg10 afvidgadgr nfyh11v12g13gw14g
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp
  
```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

May 12 2004 07:05:19



Entrez

PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

Book

Search for

☐ 1: AAA26980. pyrogenic exotoxi...[gi:431616]

[BLink](#), [Domains](#), [Links](#)

LOCUS AAA26980 398 aa linear BCT 02-DEC-1993
 DEFINITION pyrogenic exotoxin B.
 ACCESSION AAA26980
 VERSION AAA26980.1 GI:431616
 DBSOURCE locus STRSPEBAA accession [L26151.1](#)
 KEYWORDS .
 SOURCE Streptococcus pyogenes
 ORGANISM Streptococcus pyogenes
 Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae;
 Streptococcus.
 REFERENCE 1 (residues 1 to 398)
 AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R.,
 Hamill,R.J., Patti,J.M. and Musser,J.M.
 TITLE A conserved Streptococcus pyogenes extracellular cysteine protease
 cleaves human fibronectin and degrades vitronectin
 JOURNAL Microb. Pathog. (1993) In press
 COMMENT Method: conceptual translation.
 FEATURES Location/Qualifiers
 source 1..398
 /organism="Streptococcus pyogenes"
 /isolate="MGAS 1871"
 /db_xref="taxon:1314"
Protein 1..398
 /product="pyrogenic exotoxin B"
 /function="cysteine protease precursor"
CDS 1..398
 /gene="speB gene"
 /coded_by="L26151.1:161..1357"
 /note="pyrogenic exotoxin B"
 /transl_table=11

ORIGIN


```

1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkrspei lgystsgsfd angkeniasf
121 mesyveqike nkkldttyag taei1qp2pvk slldskgi3hy nqgnpynllt pviekv4kpge
181 qsfvgqhaat g5vatataqi mkyh6nypnkg lkdytytlss nnp7yfnhpkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdm8dygpss gsagssrvqr alkenfgynq
301 svhqinrgdf skqdweaqid kelsqn9qpvy yqgv10gkv11gga afvidgadgr nfyh12v13gw14g
361 gvsdgffrld alnpsalgtg ggadgfngyq savvgikp
  
```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

May 12 2004 07:05:19



Entrez

PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

Boo

 Search for

Limits

Preview/Index

History

Clipboard

Details

 Show:
☐ 1: AAA26981. pyrogenic exotoxi...[gi:431618]

BLink, Domains, Links

LOCUS AAA26981 398 aa linear BCT 02-DEC-1993
 DEFINITION pyrogenic exotoxin B.
 ACCESSION AAA26981
 VERSION AAA26981.1 GI:431618
 DBSOURCE locus STRSPEBAB accession L26152.1
 KEYWORDS .
 SOURCE Streptococcus pyogenes
 ORGANISM Streptococcus pyogenes
 Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae;
 Streptococcus.
 REFERENCE 1 (residues 1 to 398)
 AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R.,
 Hamill,R.J., Patti,J.M. and Musser,J.M.
 TITLE A conserved Streptococcus pyogenes extracellular cysteine protease
 cleaves human fibronectin and degrades vitronectin
 JOURNAL Microb. Pathog. (1993) In press
 COMMENT Method: conceptual translation.
 FEATURES Location/Qualifiers
 source 1..398
 /organism="Streptococcus pyogenes"
 /isolate="MGAS 1901"
 /db_xref="taxon:1314"
 Protein 1..398
 /product="pyrogenic exotoxin B"
 /function="cysteine protease precursor"
 CDS 1..398
 /gene="speB gene"
 /coded_by="L26152.1:161..1357"
 /note="allele 35"
 /transl_table=11

ORIGIN

```

1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkrspei lgystsgsf angkeniasf
121 mesyveqike nkkldttyag taeiagpvvk slldskgi hy nqgnpynllt pviekvkpg
181 qsfvgghaat g@vatataqi mkyhnpnkg lkdytytlss nnpynhpk n lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdmdygpss gsagssrvqr alkenfgynq
301 svhgvnrddf skqdweaqid kelsnqpv yqgvkvvgg afvidgadgr nfyhvwgwg
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

May 12 2004 07:05:19



Search for

☐ 1: AAA26982. pyrogenic exotoxi...[gi:431620] BLink, Domains, Links

LOCUS AAA26982 398 aa linear BCT 02-DEC-1993

DEFINITION pyrogenic exotoxin B.

ACCESSION AAA26982

VERSION AAA26982.1 GI:431620

DBSOURCE locus STRSPEBAC accession [L26153.1](#)

KEYWORDS .

SOURCE Streptococcus pyogenes

ORGANISM Streptococcus pyogenes
Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae; Streptococcus.

REFERENCE 1 (residues 1 to 398)

AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R., Hamill,R.J., Patti,J.M. and Musser,J.M.

TITLE A conserved Streptococcus pyogenes extracellular cysteine protease cleaves human fibronectin and degrades vitronectin

JOURNAL Microb. Pathog. (1993) In press

COMMENT Method: conceptual translation.

FEATURES

source 1..398
/organism="Streptococcus pyogenes"
/isolate="MGAS 1842"
/db_xref="taxon:1314"

Protein 1..398
/product="pyrogenic exotoxin B"
/function="cysteine protease precursor"

CDS 1..398
/gene="speB gene"
/coded_by="L26153.1:161..1357"
/note="allele 36"
/transl_table=11

ORIGIN



```

1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkrspei lgystsgsfd angkeniasf
121 mesyveqike nkkldttyag taeiagpvvk slldskgi hy nqgnpynllt pviekvkpge
181 qsfvgqhaat ggvatataqi mkyhnypnkg lkdytytlss nnpyfhnkpkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdm dygpss gsagssrvqr alkenfgynq
301 svhqinrgdf skqdwaeqid kelsqngpvy yqgv gkvgg h afvidgadgr nfyhvwgwgw
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

May 12 2004 07:05:19

[Entrez](#) [PubMed](#) [Nucleotide](#) [Protein](#) [Genome](#) [Structure](#) [PMC](#) [Taxonomy](#) [Boo](#)

Search for

Limits Preview/Index History Clipboard Details

Show:

☐ 1: [AAA26983](#). pyrogenic exotoxi...[gi:431622] BLink, Domains, Links

LOCUS AAA26983 398 aa linear BCT 02-DEC-1993
 DEFINITION pyrogenic exotoxin B.
 ACCESSION AAA26983
 VERSION AAA26983.1 GI:431622
 DBSOURCE locus STRSPEBAD accession [L26154.1](#)
 KEYWORDS .
 SOURCE Streptococcus pyogenes
 ORGANISM Streptococcus pyogenes
 Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae;
 Streptococcus.
 REFERENCE 1 (residues 1 to 398)
 AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R.,
 Hamill,R.J., Patti,J.M. and Musser,J.M.
 TITLE A conserved Streptococcus pyogenes extracellular cysteine protease
 cleaves human fibronectin and degrades vitronectin
 JOURNAL Microb. Pathog. (1993) In press
 COMMENT Method: conceptual translation.
 FEATURES Location/Qualifiers
 source 1..398
 /organism="Streptococcus pyogenes"
 /isolate="MGAS 1882"
 /db_xref="taxon:1314"
 Protein 1..398
 /product="pyrogenic exotoxin B"
 /function="cysteine protease precursor"
 CDS 1..398
 /gene="speB gene"
 /coded_by="L26154.1:161..1357"
 /note="allele 37"
 /transl_table=11

ORIGIN

```

1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkrspei lgystsgsfd vngkeniasf
121 mesyveqike nkkldttyag taeigqpvvk slldskgihy nqgnpynllt pviekvkpge
181 qsfvgqhaat gevatataqi mkyhnypnkg lkdytytlss nnpynfhpkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdm dygpss gsagssrvqr alkenfgynq
301 svhqinrsdf skqdweaqid kelsqnqpv yqgvgkvggg afvidgadgr nfyhvgggg
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

May 12 2004 07:05:19



Search for

☐ 1: AAA26984. pyrogenic exotoxi...[gi:431624] BLink, Domains, Links

LOCUS AAA26984 398 aa linear BCT 02-DEC-1993

DEFINITION pyrogenic exotoxin B.

ACCESSION AAA26984

VERSION AAA26984.1 GI:431624

DBSOURCE locus STRSPEBAE accession [L26155.1](#)

KEYWORDS .

SOURCE Streptococcus pyogenes

ORGANISM Streptococcus pyogenes
Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae; Streptococcus.

REFERENCE 1 (residues 1 to 398)

AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R., Hamill,R.J., Patti,J.M. and Musser,J.M.

TITLE A conserved Streptococcus pyogenes extracellular cysteine protease cleaves human fibronectin and degrades vitronectin

JOURNAL Microb. Pathog. (1993) In press

COMMENT Method: conceptual translation.

FEATURES

source 1..398
/organism="Streptococcus pyogenes"
/isolate="MGAS 1872"
/db_xref="taxon:1314"

Protein 1..398
/product="pyrogenic exotoxin B"
/function="cysteine protease precursor"

CDS 1..398
/gene="speB gene"
/coded_by="L26155.1:161..1357"
/note="allele 38"
/transl_table=11

ORIGIN

```

1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkrspei lgystsgsfd angkeniasf
121 mesyveqike nkkldttyag taeilqpvvk slldskgi hy nqgnpynllt pvilekvkpge
181 qsfvgqhaat ggvatataqi mkyhnpnkg lkdytytlss nnpyfnhpkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdmygpss gsagssrvqr alkenfgynq
301 svhqinrgdf skqdweaqid kelsqnqpy yqgvgkvggh afvidgadgr nfyhvgggwg
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

May 12 2004 07:05:19



Search for

Show:

☐ 1: AAA26985. pyrogenic exotoxi...[gi:431626] BLink, Domains, Links

LOCUS AAA26985 398 aa linear BCT 02-DEC-1993

DEFINITION pyrogenic exotoxin B.

ACCESSION AAA26985

VERSION AAA26985.1 GI:431626

DBSOURCE locus STRSPEBAF accession L26156.1

KEYWORDS .

SOURCE Streptococcus pyogenes

ORGANISM Streptococcus pyogenes
Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae; Streptococcus.

REFERENCE 1 (residues 1 to 398)

AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R., Hamill,R.J., Patti,J.M. and Musser,J.M.

TITLE A conserved Streptococcus pyogenes extracellular cysteine protease cleaves human fibronectin and degrades vitronectin

JOURNAL Microb. Pathog. (1993) In press

COMMENT Method: conceptual translation.

FEATURES

source 1..398
/organism="Streptococcus pyogenes"
/isolate="MGAS 1896"
/db_xref="taxon:1314"

Protein 1..398
/product="pyrogenic exotoxin B"
/function="cysteine protease precursor"

CDS 1..398
/gene="speB gene"
/coded_by="L26156.1:161..1357"
/note="allele 39"
/transl_table=11

ORIGIN


```

1 mnkkklgirl lsllalsgfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkrspei lgystsgsfd angkeniasf
121 mesyveqike nkkldttyag taei1qpvvk slldskgihy nqgnpynllt pviekvkpge
181 qsfvgqhaat g2vatataqi mkyhnpnkg lkdytytlss nnpynhpkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdm3dygpss gsagssrvqr alkenfgynq
301 svhqinrsdf skqdweaqid kelsqnqpv4y yqgv5gkv6gg7h afvidgadgr nfyh8v9g10w11g
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

May 12 2004 07:05:19



Entrez

PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

Boo

Search for

Limits

Preview/Index

History

Clipboard

Details

Show:

☐ 1: AAA26986. pyrogenic exotoxi...[gi:431628]

BLink, Domains, Links

LOCUS AAA26986 398 aa linear BCT 02-DEC-1993

DEFINITION pyrogenic exotoxin B.

ACCESSION AAA26986

VERSION AAA26986.1 GI:431628

DBSOURCE locus STRSPEBAG accession [L26157.1](#)

KEYWORDS .

SOURCE Streptococcus pyogenes

ORGANISM Streptococcus pyogenes

Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae; Streptococcus.

REFERENCE 1 (residues 1 to 398)

AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R., Hamill,R.J., Patti,J.M. and Musser,J.M.

TITLE A conserved Streptococcus pyogenes extracellular cysteine protease cleaves human fibronectin and degrades vitronectin

JOURNAL Microb. Pathog. (1993) In press

COMMENT Method: conceptual translation.

FEATURES Location/Qualifiers

source 1..398
 /organism="Streptococcus pyogenes"
 /isolate="MGAS 165"
 /db_xref="taxon:1314"
Protein 1..398
 /product="pyrogenic exotoxin B"
 /function="cysteine protease precursor"
CDS 1..398
 /gene="speB gene"
 /coded_by="L26157.1:161..1357"
 /note="allele 4"
 /transl_table=11

ORIGIN

```



1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkrspei lgystsgsfd vngkeniasf
121 mesyveqike nkkldttyag taeilqpvvk slldskgiy nqgnpynllt pviekvkgpe
181 qsfvgqhaat gevatataqi mkyhnypnkg lkdytytlss nnpyfhnphkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdmgygpss gsagssrvqr alkenfgynq
301 svhqinrsdf skqdwesqid kelsqnqpv yqgvkvvgq afvidgadgr nfyhvngwgwg
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

[Disclaimer](#) | [Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)

May 12 2004 07:05:19

[Entrez](#) [PubMed](#) [Nucleotide](#) [Protein](#) [Genome](#) [Structure](#) [PMC](#) [Taxonomy](#) [Book](#)

Search for

Limits

☐ 1: AAA26987. pyrogenic exotoxi...[gi:431630] [BLink, Domains, Links](#)

LOCUS AAA26987 398 aa linear BCT 02-DEC-1993

DEFINITION pyrogenic exotoxin B.

ACCESSION AAA26987

VERSION AAA26987.1 GI:431630

DBSOURCE locus STRSPEBAH accession [L26158.1](#)

KEYWORDS .

SOURCE Streptococcus pyogenes

ORGANISM Streptococcus pyogenes

Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae; Streptococcus.

REFERENCE 1 (residues 1 to 398)

AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R., Hamill,R.J., Patti,J.M. and Musser,J.M.

TITLE A conserved Streptococcus pyogenes extracellular cysteine protease cleaves human fibronectin and degrades vitronectin

JOURNAL Microb. Pathog. (1993) In press

COMMENT Method: conceptual translation.

FEATURES Location/Qualifiers

source 1..398
 /organism="Streptococcus pyogenes"
 /isolate="MGAS 321"
 /isolate="MGAS 789"
 /db_xref="taxon:1314"

Protein 1..398
 /product="pyrogenic exotoxin B"
 /function="cysteine protease precursor"

CDS 1..398
 /gene="speB gene"
 /coded_by="L26158.1:161..1357"
 /note="allele 6"
 /transl_table=11

ORIGIN

```

1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkrspei lgystsgsfd angkeniasf
121 mesyveqike nkkldttyag taeigqpvvk slldskgiy nqgnpynllt pviekvkgpe
181 qsfvgqhaat gevatataqi mkyhnypnkg lkdytytlss nnpyfnhpkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdmgygpss gsagssrvqr alkenfgynq
301 svhqinrsdf skqdweaqid kelsqnqpv yqgvkvvgga afvidgadgr nfyhvngwgwg
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

[Disclaimer](#) | [Write to the Help Desk](#)
 NCBI | NLM | NIH

May 12 2004 07:05:19



Search for

☐ 1: AAA26988. pyrogenic exotoxi...[gi:431632] BLink, Domains, Links

LOCUS AAA26988 398 aa linear BCT 02-DEC-1993

DEFINITION pyrogenic exotoxin B.

ACCESSION AAA26988

VERSION AAA26988.1 GI:431632

DBSOURCE locus STRSPEBAI accession L26159.1

KEYWORDS .

SOURCE Streptococcus pyogenes

ORGANISM Streptococcus pyogenes

Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae; Streptococcus.

REFERENCE 1 (residues 1 to 398)

AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R., Hamill,R.J., Patti,J.M. and Musser,J.M.

TITLE A conserved Streptococcus pyogenes extracellular cysteine protease cleaves human fibronectin and degrades vitronectin

JOURNAL Microb. Pathog. (1993) In press

COMMENT Method: conceptual translation.

FEATURES Location/Qualifiers

source 1..398
 /organism="Streptococcus pyogenes"
 /isolate="MGAS 262"
 /isolate="MGAS 303"
 /db_xref="taxon:1314"
 Protein 1..398
 /product="pyrogenic exotoxin B"
 /function="cysteine protease precursor"
 CDS 1..398
 /gene="speB gene"
 /coded_by="L26159.1:161..1357"
 /note="allele 6"
 /transl_table=11

ORIGIN

```

1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkrspei lgystsgsfd angkeniasf
121 mesyveqike nkkldttyag taei1qpvvk slldskgi1hy nqgnpynllt pviekv1kpge
181 qsfvgqhaat g1vatataqi mkyhnypnkg lkdytytlss nnp1fyfnhpkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdmdygpss gsagssrvqr alkenfgynq
301 svhqinrsdf skqdweaqid kelsqnqpv1y yqgv1gkv1gg1h afvidgadgr nfyh1vn1g1wg
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

May 12 2004 07:05:19



Search for

☐ 1: AAA26989. pyrogenic exotoxi...[gi:431634] BLink, Domains, Links

LOCUS AAA26989 398 aa linear BCT 02-DEC-1993

DEFINITION pyrogenic exotoxin B.

ACCESSION AAA26989

VERSION AAA26989.1 GI:431634

DBSOURCE locus STRSPEBAJ accession L26160.1

KEYWORDS

SOURCE Streptococcus pyogenes

ORGANISM Streptococcus pyogenes

Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae; Streptococcus.

REFERENCE 1 (residues 1 to 398)

AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R., Hamill,R.J., Patti,J.M. and Musser,J.M.

TITLE A conserved Streptococcus pyogenes extracellular cysteine protease cleaves human fibronectin and degrades vitronectin

JOURNAL Microb. Pathog. (1993) In press

COMMENT Method: conceptual translation.

FEATURES Location/Qualifiers

source 1..398
 /organism="Streptococcus pyogenes"
 /isolate="MGAS 429"
 /isolate="MGAS 1719"
 /db_xref="taxon:1314"
 Protein 1..398
 /product="pyrogenic exotoxin B"
 /function="cysteine protease precursor"
 CDS 1..398
 /gene="speB gene"
 /coded_by="L26160.1:161..1357"
 /note="allele 7"
 /transl_table=11

ORIGIN

```

1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkrspei lgystsgsfd vngkeniasf
121 mesyveqike nkkldttyag taeigpvvk slldskgihy nqgnpynllt pviekvkpge
181 qsfvgqhaat gevatataqi mkyhnypnkg lkdytytlss nnpyfnhpkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdmgygpss gsagssrvqr alkenfgynq
301 svhqinrgdf skqdweaqid kelsqnqpv yqgvgkvggh afvidgadgr nfyhvggwg
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

May 12 2004 07:05:19



Search for

☐ 1: AAA26990. pyrogenic exotoxi...[gi:431636] BLink, Domains, Links

LOCUS AAA26990 398 aa linear BCT 02-DEC-1993

DEFINITION pyrogenic exotoxin B.

ACCESSION AAA26990

VERSION AAA26990.1 GI:431636

DBSOURCE locus STRSPEBAK accession L26161.1

KEYWORDS

SOURCE Streptococcus pyogenes

ORGANISM Streptococcus pyogenes

Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae; Streptococcus.

REFERENCE 1 (residues 1 to 398)

AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R., Hamill,R.J., Patti,J.M. and Musser,J.M.

TITLE A conserved Streptococcus pyogenes extracellular cysteine protease cleaves human fibronectin and degrades vitronectin

JOURNAL Microb. Pathog. (1993) In press

COMMENT Method: conceptual translation.

FEATURES Location/Qualifiers

source 1..398
 /organism="Streptococcus pyogenes"
 /isolate="MGAS 660"
 /db_xref="taxon:1314"
 Protein 1..398
 /product="pyrogenic exotoxin B"
 /function="cysteine protease precursor"
 CDS 1..398
 /gene="speB gene"
 /coded_by="L26161.1:161..1357"
 /note="allele 8"
 /transl_table=11

ORIGIN

```

1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkrspei lgystsgsfd vngkeniasf
121 mesyveqike nkkldttyag taeiagpvvk slldskgi hy nqgnpynllt pviekvkgpe
181 qsfvgqhaat ggvatataqi mkyhnpnkg lkdytytlss nnpynfhpkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdmgygpss gsagssrvqr alkenfgynq
301 svhqinrsdf skqdweaqid kelsqnqpv yqvgkvgg afvidgadgr nfyhvgwgw
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

May 12 2004 07:05:19



Search for

Show:

☐ 1: AAA26991. pyrogenic exotoxi...[gi:431638] BLink, Domains, Links

LOCUS AAA26991 398 aa linear BCT 02-DEC-1993

DEFINITION pyrogenic exotoxin B.

ACCESSION AAA26991

VERSION AAA26991.1 GI:431638

DBSOURCE locus STRSPEBAL accession L26162.1

KEYWORDS .

SOURCE Streptococcus pyogenes

ORGANISM Streptococcus pyogenes
Bacteria; Firmicutes; Bacillus/Clostridium group; Streptococcaceae; Streptococcus.

REFERENCE 1 (residues 1 to 398)

AUTHORS Kapur,V., Topouzis,S., Majesky,M.W., Li,L.-L., Hamrick,M.R., Hamill,R.J., Patti,J.M. and Musser,J.M.

TITLE A conserved Streptococcus pyogenes extracellular cysteine protease cleaves human fibronectin and degrades vitronectin

JOURNAL Microb. Pathog. (1993) In press

COMMENT Method: conceptual translation.

FEATURES Location/Qualifiers

source 1..398
/organism="Streptococcus pyogenes"
/isolate="MGAS 686"
/db_xref="taxon:1314"

Protein 1..398
/product="pyrogenic exotoxin B"
/function="cysteine protease precursor"

CDS 1..398
/gene="speB gene"
/coded_by="L26162.1:161..1357"
/note="allele 9"
/transl_table=11

ORIGIN

```

1 mnkkklgirl lsllalggfv lanpvfadqn farnekeakd saitfiqksa aikagarsae
61 dikldkvnlg gelsgsnmyv ynistggfvi vsgdkrspei lgystsgsfd angkeniasf
121 mesyveqike nkkldttyag taeigqpvvk slldskgihy nqgnpynllt pviekvkgpe
181 qsfvgqhaat gevatataqi mkyhnpnkg lkdytytlss nnpyfnhpkn lfaaistrqy
241 nwnnilptys gresnvqkma iselmadvgi svdmgygpss gsagssrvqr alkenfgynq
301 svhqinrsdf skqdweaqid kelsqnqpv yqgvgkvggg afvidgadgr nfyhvggg
361 gvsdgffrld alnpsalgtg ggaggfngyq savvgikp

```

//

May 12 2004 07:05:19